

	Type	L #	Hits	Search Text	DBs
8	IS&R	L8	1621	(359/819,820,821).CCLS.	US-PGPUB; USPAT
9	BRS	L10	50	8 and (silicon\$6 and aluminum\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
10	BRS	L11	140	8 and ((silicon\$6 or si or si-al or sial) and (aluminum\$6 or al))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
11	BRS	L12	138	11 and ((optic\$4 or lens\$2 or camera\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
12	BRS	L13	136	12 and (hold\$4 or clamp\$5 or mount\$4 or hous\$4 or barrel\$4 or case or casing\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
13	BRS	L9	8	8 and (silicon\$6 with aluminum\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
14	BRS	L14	15	8 and ((silicon\$6 or si or si-al or sial) with (aluminum\$6 or al))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
15	BRS	L15	25003 51	((optic\$4 or lens\$2 or camera\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
16	BRS	L16	480129	15 and (housing\$2 or holder\$2 or holding or barrel\$2 or casing or mount\$4 or clamp\$4)	US-PGPUB; USPAT
17	BRS	L17	647	16 and (((silicon\$6 or si or si-al or sial) with (aluminum\$6 or al)) with (housing\$2 or holder\$2 or holding or barrel\$2 or casing or mount\$4 or clamp\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
18	BRS	L18	125057	silicon\$6 with aluminum\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
19	BRS	L19	11711	L18 and @pd>"20040601"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
20	BRS	L20	1979	L19 and ((optic\$4 or lens\$2 or plate\$1 or prism\$6 or mirror\$4) with (hold\$4 or clamp\$5 or mount\$4 or hous\$4 or barrel\$4 or case or casing\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
21	BRS	L21	208	L20 and ((silicon and aluminum) with (hold\$4 or clamp\$5 or mount\$4 or hous\$4 or barrel\$4 or case or casing\$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
22	BRS	L22	617	17 not 21	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
23	BRS	L23	263	22 and (((silicon\$6 or si or si-al or sial) with (aluminum\$6 or al)) with (housing\$2 or holder\$2 or holding or barrel\$2 or casing))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
24	BRS	L24	169937	16 and ((housing\$2 or holder\$2 or holding or barrel\$2 or casing or mount\$4 or clamp\$4) with (lens\$2 or camera\$2 or optic\$4))	US-PGPUB; USPAT
25	BRS	L26	237	24 and ((aluminum adj1 alloy\$2) with (housing\$2 or holder\$2 or holding or barrel\$2 or casing))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
26	BRS	L25	84	24 and (((silicon\$6 or si or si-al or sial) with (aluminum\$6 or al)) with (housing\$2 or holder\$2 or holding or barrel\$2 or casing))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
27	BRS	L27	231	26 not 25	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
28	BRS	L28	56	27 and (silicon\$6 or si or si-al or sial)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
29	BRS	L29	40	28 and (objective\$2 or lens\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
31	BRS	L31	4	30 and (aluminum adj1 alloy\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
32	BRS	L32	4	30 and (aluminum near2 alloy\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
33	BRS	L33	4	30 and (silicon\$4 or si)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
34	BRS	L34	4	30 and (optic\$4 or lens\$2 or objective\$2 or camera\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
35	BRS	L35	4	30 and (optic\$4 or lens\$2 or objective\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB